



# SAFETY DATA SHEET

## SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

**Product ID:**

**Product Name:** EZ STRIP™ PAINT AND VARNISH STRIPPER

**Revision Date:** Jan 27, 2021

**Date Printed:** Jan 27, 2021

**Version:** 1.1

**Supersedes Date:** Feb 16, 2018

**Manufacturer's Name:** EZ Strip Canada Inc

**Address:** 3278 Marentette Ave. Windsor, ON, CA, N8X 4G4

**Emergency Phone:** +1 (866) 453-2511

**Information Phone Number:** +1 (866) 453-2511

**Fax:**

**Product/Recommended Uses:** Paint and varnish stripper

## SECTION 2) HAZARDS IDENTIFICATION

### Classification

Eye Irritation - Category 2B

### Pictograms

None

### Signal Word

Warning

### Hazardous Statements - Health

Causes eye irritation

### Hazardous Statements - Physical

None

### Precautionary Statements - Prevention

Wash thoroughly after handling.

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Precautionary Statements - Storage

No precautionary statement available.

### Precautionary Statements - Disposal

No precautionary statement available.

### Physical and Health Hazards Not Otherwise Classified (HNOC)

None.

## SECTION 3) COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
0001119-40-0	DIMETHYL GLUTARATE	10% - 30%
0000106-65-0	DIMETHYL SUCCINATE	3% - 7%
0000078-40-0	TRIETHYL PHOSPHATE	3% - 7%
0000627-93-0	DIMETHYL ADIPATE	1% - 5%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

## SECTION 4) FIRST-AID MEASURES

### Inhalation

Move person to fresh air.

### Skin Contact

Rinse/wash with water and mild soap for 5 minutes or until product is removed.

### Eye Contact

Rinse eyes cautiously with gently flowing water for at least 15 minutes, while holding the eyelids open. If eye irritation persists: get medical advice/attention.

### Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

### Most Important Symptoms/Effects, Acute and Delayed

Pre-existing skin problems may be aggravated by prolonged or repeated contact.

### Indication of Immediate Medical Attention and Special Treatment Needed

Treat symptomatically.

## SECTION 5) FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing media suitable for the surrounding fire.

### Unsuitable Extinguishing Media

Do not use straight stream of water.

### Specific Hazards in Case of Fire

No data available.

### Fire-Fighting Procedures

Isolate immediate hazard area and keep unauthorized personnel out. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### Special Protective Actions

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

## SECTION 6) ACCIDENTAL RELEASE MEASURES

### Emergency Procedure

Do not touch or walk through spilled material.

### Recommended Equipment

Refer to Section 8 for specific personal protective equipment.

### Personal Precautions

Avoid contact eyes.

### Environmental Precautions

Stop spill/release if it can be done safely. Avoid discharge into drain, water courses or onto the ground.

### Methods and Materials for Containment and Cleaning up

Contain and collect spilled materials with non-combustible, absorbent material and place in a container for disposal according to local regulations.

## SECTION 7) HANDLING AND STORAGE

### General

Wash hands after use. Do not get in eyes, on skin or on clothing. Use good personal hygiene practices.

### Ventilation Requirements

No particular ventilation requirements.

### Storage Room Requirements

Keep containers tightly closed when not in use.

## SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

### Eye protection

Safety glasses/goggles are recommended where risk of splashing exists.

### Skin protection

Protective gloves are recommended for prolonged use.

### Respiratory protection

Not required under normal conditions of use. If exposure limits are exceeded or irritation is experienced, ventilation may be required.

### Appropriate Engineering Controls

General ventilation. Showers. Eyewash stations.

Chemical Name	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH STEL (mg/m3)	ACGIH STEL (ppm)	ACGIH Carcinogen	ACGIH Notations	ACGIH TLV Basis	CAN_ONtmg
---------------	-------------------	-----------------	--------------------	------------------	------------------	-----------------	-----------------	-----------

Chemical Name	CAN_ONtppm	CAN_ONsmg	CAN_ONsppm	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA Carcinogen
---------------	------------	-----------	------------	------------------	----------------	-------------------	-----------------	-----------------

Chemical Name	OSHA Skin designation	OSHA Tables (Z1, Z2, Z3)
---------------	-----------------------	--------------------------

The information in this Section does not list non-hazardous components that might have relevant ACGIH TWA (mg/m3), ACGIH Carcinogen, ACGIH Notations, ACGIH TLV Basis regulatory values, if they are present at less than 2%. Please contact manufacturer for more information.

## SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

Density	8.39927 lb/gal
Specific Gravity	1.00646
% Solids By Weight	N/A
% VOC	N/A

---

Appearance	White viscous liquid
Odor Threshold	N/A
Odor Description	Almond
pH	7
Water Solubility	N/A
Flammability	N/A

Flash Point Symbol	N/A
Flash Point	> 93.3°C
Viscosity	N/A
Lower Explosion Level	N/A
Upper Explosion Level	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Freezing Point	N/A
Melting Point	N/A
Low Boiling Point	101°C/214°F
High Boiling Point	N/A
Auto Ignition Temp	N/A
Decomposition Pt	N/A
Evaporation Rate	N/A
Coefficient Water/Oil	N/A

## SECTION 10) STABILITY AND REACTIVITY

### Stability

Stable under normal conditions.

### Conditions to Avoid

Do not freeze.

### Hazardous Polymerization/Reactions

Will not occur.

### Incompatible Materials

Oxidizing agents. Strong mineral acids.

### Hazardous Decomposition Products

Oxides of carbon.

## SECTION 11) TOXICOLOGICAL INFORMATION

### Likely Route of Exposure

Ingestion, skin contact, eye contact

### Aspiration Hazard

No data available.

### Carcinogenicity

No data available.

### Germ Cell Mutagenicity

No data available.

### Reproductive Toxicity

No data available.

### Respiratory/Skin Sensitization

No data available.

### Serious Eye Damage/Irritation

Causes eye irritation

### Skin Corrosion/Irritation

No data available.

### Specific Target Organ Toxicity - Repeated Exposure

No data available.

### Specific Target Organ Toxicity - Single Exposure

No data available.

### Acute Toxicity

The Acute Toxicity Estimate (ATE) for an oral exposure to this mixture is >5000 mg/kg body weight

The Acute Toxicity Estimate (ATE) for a dermal exposure to this mixture is >5000 mg/kg body weight

The Acute Toxicity Estimate (ATE) for an inhalation (vapour) exposure to this mixture is >20 mg/l

## SECTION 12) ECOLOGICAL INFORMATION

### Toxicity

No data available.

### Persistence and Degradability

No data available.

### Bio-accumulative Potential

No data available.

### Mobility in Soil

No data available.

### Other Adverse Effects

No data available.

## SECTION 13) DISPOSAL CONSIDERATIONS

### Waste Disposal

Waste management should be in full compliance with federal, state/provincial and local laws.

## SECTION 14) TRANSPORT INFORMATION

	Canadian TDG Information	U.S. DOT Information
UN number:	Not Regulated	Not Regulated
Proper shipping name:	N/A	N/A
Hazard class:	Not Applicable	Not Applicable
Packaging group:	Not Applicable	Not Applicable
Hazardous substance (RQ):	No Data Available	No Data Available
Marine Pollutant:	No Data Available	No Data Available
Note / Special Provision:	No Data Available	No Data Available
Toxic-Inhalation Hazard:	No Data Available	No Data Available

## SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
0001119-40-0	DIMETHYL GLUTARATE	10% - 30%	DSL,TSCA,Canada_ON_VOC,Canada_ON_JSL - Canada_ON_Jurisdictional Screening Level,CAN_VOC - Canada_VOC
0000106-65-0	DIMETHYL SUCCINATE	3% - 7%	DSL,TSCA,Canada_ON_VOC,Canada_ON_JSL - Canada_ON_Jurisdictional Screening Level,CAN_VOC - Canada_VOC
0000078-40-0	TRIETHYL PHOSPHATE	3% - 7%	Canada_NPRI,DSL,Canada_NPRI_Part1A,TSCA,Canada_ON_JSL - Canada_ON_Jurisdictional Screening Level,CAN_VOC - Canada_VOC
0000627-93-0	DIMETHYL ADIPATE	1% - 5%	DSL,TSCA,Canada_ON_VOC,Canada_ON_JSL - Canada_ON_Jurisdictional Screening Level,CAN_VOC - Canada_VOC

The information in this Section does not list non-hazardous components that might have relevant CAN\_VOC - Canada\_VOC, Canada\_NPRI, Canada\_NPRI\_Part1A, Canada\_ON\_JSL - Canada\_ON\_Jurisdictional Screening Level, Canada\_ON\_VOC, DSL, IARCcarcinogen, TSCA regulatory values, if they are present at less than 2%. Please contact manufacturer for more information.

## SECTION 16) OTHER INFORMATION INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS

### Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG Canadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center (US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL- Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self- Contained Breathing Apparatus; STEL- Short Term Exposure Limit; TCEQ- Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA- Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

### Version 1.1:

Revision Date: Jan 27, 2021

### Version 1.0:

Revision Date: Feb 16, 2018

First Edition.

## DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.