

SAFETY DATA SHEET

SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

Product ID: EZKLEENEST

Product Name: FLOOR ADHESIVE REMOVER

Revision Date: Mar 24, 2022 Date Printed: Mar 24, 2022

Version: 1.0 Supersedes Date: N.A.

Manufacturer's Name: EZ Strip

Address: 3258 Marentette Avenue Windsor, ON, CA, N8X 4G4

Emergency Phone: +(800) 435-2511 **Information Phone Number:** +(800) 435-2511

Fax:

Product/Recommended Uses:

SECTION 2) HAZARDS IDENTIFICATION

Classification

Acute aquatic toxicity - Category 3

Acute toxicity Oral - Category 4

Eye Irritation - Category 2

Skin Sensitizer - Category 1

Pictograms



Signal Word

Warning

Hazardous Statements - Health

Harmful if swallowed

Causes serious eye irritation

May cause an allergic skin reaction

Hazardous Statements - Environmental

Harmful to aquatic life

Precautionary Statements - General

If medical advice is needed, have product or label at hand. Keep out of reach of childen. Read label before use.

Precautionary Statements - Prevention

Wear protective gloves and eye/face protection.

Avoid release to the environment.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves, protective clothing, eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor, if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water. Take off contaminated clothing. And wash it before reuse. If skin irritation or a rash occurs: Get medical advice/attention.

Precautionary Statements - Storage

No precautionary statement available.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, national and international regulation.

Physical and Health Hazards Not Otherwise Classified (HNOC)

None.

Acute toxicity of 10% of the mixture is unknown

SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS					
CAS	Chemical Name	% By Weight			
0001119-40-0	DIMETHYL GLUTARATE	15% - 40%			
0000627-93-0	DIMETHYL ADIPATE	7% - 13%			
0068439-46-3	Ethoxylated alcohols (C9 - C11)	7% - 10%			
0005392-40-5	2,6-Octadienal, 3,7-dimethyl-	0.1% - 1.0%			
0000106-22-9	6-Octen-1-ol, 3,7-dimethyl-	< 0.1 %			

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

SECTION 4) FIRST-AID MEASURES

Inhalation

Remove source of exposure or move person to fresh air and keep comfortable for breathing. If unwell, exposed or concerned: Get medical advice/attention.

Skin Contact

Rinse/wash with water and mild soap for 5 minutes or until product is removed. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact

Rinse eyes cautiously with gently flowing water for at least 15 minutes, while holding the eyelids open. If eye irritation persists: get medical advice/attention.

Ingestion

Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

Most Important Symptoms/Effects, Acute and Delayed

Harmful if swallowed. May cause an allergic skin reaction.

Indication of Immediate Medical Attention and Special Treatment Needed

Treat symptomatically.

SECTION 5) FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing media suitable for the surrounding fire.

EZKLEENEST www.ezstrip.ca Page 2 of 7

Unsuitable Extinguishing Media

No data available.

Specific Hazards in Case of Fire

Fire will produce irritating gases.

Fire-fighting Procedures

Isolate immediate hazard area and keep unauthorized personnel out. Move undamaged containers from immediate hazard area if it can be done safely. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Special Protective Actions

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

SECTION 6) ACCIDENTAL RELEASE MEASURES

Emergency Procedure

Do not touch or walk through spilled material. Isolate hazard area and keep unnecessary people away. Notify authorities if any exposure to the general public or the environment occurs or is likely to occur. Stay uphill and/or upstream.

Recommended Equipment

Refer to Section 8 for specific personal protective equipment.

Personal Precautions

Avoid breathing mists/sprays. Avoid contact with skin, eye or clothing.

Environmental Precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

Methods and Materials for Containment and Cleaning up

Contain and collect spilled materials with non-combustible, absorbent material and place in a container for disposal according to local regulations. Dispose via a licensed waster disposal contractor.

SECTION 7) HANDLING AND STORAGE

General

Wash hands after use. Do not get in eyes, on skin or on clothing. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Eyewash stations and showers should be available in areas where this material is used and stored. All containers must be properly labeled.

Ventilation Requirements

Use only with adequate ventilation to control air contaminants to their exposure limits.

Storage Room Requirements

Store in a cool, dry and well ventilated area. Keep containers tightly closed when not in use.

SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye protection

Wear eye protection with side shields or goggles.

Skin Protection

Where contact is likely wear chemical resistant gloves.

Respiratory protection

Not required under normal conditions of use. If required, wear an approved mist respirator.

Appropriate Engineering Controls

General ventilation. Showers. Eyewash stations.

CI	hemical	ACGIH TWA	ACGIH TWA	ACGIH STEL	ACGIH STEL	ACGIH	ACGIH	ACGIH	CAN_ONtmg	
----	---------	-----------	-----------	------------	------------	-------	-------	-------	-----------	--

EZKLEENEST www.ezstrip.ca Page 3 of 7

Name	(mg/m3)	(ppm)	(mg/m3)	(ppm)	Carcinogen	Notations	TLV Basis	
2,6-Octadienal, 3,7-dimethyl-		5 (IFV)			A4	Skin; DSEN; A4	Body weight eff; URT irr; eye dam	

Chemical Name	CAN_ONtppm	CAN_ONsmg	CAN_ONsppm	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA Carcinogen
2,6-Octadienal, 3,7-dimethyl-								

Chemical Name	OSHA Skin designation	OSHA Tables (Z1, Z2, Z3)
2,6-Octadienal, 3,7-dimethyl-		

(IFV) - Inhalable fraction and vapor, A4 - Not Classifiable as a Human Carcinogen, dam - Damage, DSEN - Dermal sensitization, eff - Effects, irr - Irritation, URT - Upper respiratory tract

SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

 % Solids By Weight
 0.00000%

 % VOC
 23.4000%

 Density
 8.69648 lb/gal

 Specific Gravity
 1.04207

Appearance Thick white Odor Threshold N/A **Odor Description** Mild citrus 6.34000 рΗ Water Solubility N/A N/A Flammability Flash Point Symbol N/A Flash Point N/A °F Viscosity N/A Lower Explosion Level N/A Upper Explosion Level N/A Vapor Pressure N/A mmHg Vapor Density N/A lb/gal

Vapor Density

N/A Ib/gal

Freezing Point

N/A °F

Melting Point

N/A °F

Low Boiling Point

N/A °F

High Boiling Point

N/A °F

Auto Ignition Temp

Decomposition Pt

Evaporation Rate

N/A Ib/gal

N/A °F

N/A °F

N/A °F

N/A gal/min

Coefficient Water/Oil N/A

SECTION 10) STABILITY AND REACTIVITY

EZKLEENEST www.ezstrip.ca Page 4 of 7

Stability

Stable under normal conditions.

Conditions To Avoid

Avoid contact with incompatible materials.

Hazardous Polymerization/Reactions

No data available.

Incompatible Materials

Alkalies. Acids. Oxidizing agents.

Hazardous Decomposition Products

No data available.

SECTION 11) TOXICOLOGICAL INFORMATION

Likely Route of Exposure

Inhalation, Ingestion, Skin contact, Eye contact

Aspiration Hazard

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity

Based on available data, the classification criteria are not met.

Reproductive Toxicity

Based on available data, the classification criteria are not met.

Respiratory/Skin Sensitization

May cause an allergic skin reaction

Serious Eye Damage/Irritation

Causes serious eye irritation

Skin Corrosion/Irritation

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Based on available data, the classification criteria are not met.

Acute Toxicity

Harmful if swallowed

Likely Routes of Exposure

Inhalation, Ingestion, Skin contact, Eye contact

SECTION 12) ECOLOGICAL INFORMATION

Toxicity

Harmful to aquatic life

Persistence and Degradability

No data available.

Bioaccumulative Potential

EZKLEENEST www.ezstrip.ca Page 5 of 7

No data available.

Mobility in Soil

No data available.

Other Adverse Effects

No data available.

SECTION 13) DISPOSAL CONSIDERATIONS

Waste Disposal

Waste management should be in full compliance with federal, state/provincial and local laws. Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste.

SECTION 14) TRANSPORT INFORMATION

	Canadian TDG Information	U.S. DOT Information
UN number:	Not Regulated	Not Regulated
Proper shipping name:	N/A	N/A
Hazard class:	Not Applicable	
Hazard class:		Not Applicable
Packaging group:	Not Applicable	Not Applicable
Hazardous substance (RQ):	No Data Available	No Data Available
Marine Pollutant:	No Data Available	No Data Available
Note / Special Provision:	No Data Available	No Data Available
Toxic-Inhalation Hazard:	No Data Available	No Data Available

SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
0001119-40-0	DIMETHYL GLUTARATE	15% - 40%	DSL,TSCA,Canada_ON_VOC,Canad a_ON_JSL - Canada_ON_urisdictional Screening Level,CAN_VOC - Canada_VOC
0000627-93-0	DIMETHYL ADIPATE	7% - 13%	DSL,TSCA,Canada_ON_VOC,Canad a_ON_JSL - Canada_ON_urisdictional Screening Level,CAN_VOC - Canada_VOC
0068439-46-3	Ethoxylated alcohols (C9 - C11)	7% - 10%	DSL,TSCA,CAN_VOC - Canada_VOC
0005392-40-5	2,6-Octadienal, 3,7-dimethyl-	0.1% - 1.0%	DSL,TSCA
0000106-22-9	6-Octen-1-ol, 3,7-dimethyl-	< 0.1 %	DSL,TSCA

The information in this Section does not list non-hazardous components that might have relevant CAN_VOC - Canada_VOC, Canada_NPRI, Canada_NPRI_Part5, Canada_ON_JSL - Canada_ON_Jurisdictional Screening Level, Canada_ON_VOC, DSL, IARCCarcinogen, TSCA regulatory values, if they are present at less than 1%. Please contact manufacturer for more information.

EZKLEENEST www.ezstrip.ca Page 6 of 7

SECTION 16) OTHER INFORMATION

Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG Canadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center (US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self- Contained Breathing Apparatus; STEL- Short Term Exposure Limit; TCEQ- Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA- Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

Version 1.0:

Revision Date: Mar 24, 2022

First Edition.

DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

EZKLEENEST www.ezstrip.ca Page 7 of 7